



HCTC, UAB  
Pramonės g.97  
LT-11115, Vilnius  
Lithuania  
2009

EN 14351-1: 2006+A1:2010

Window Construction

**IV 68** turn/tilt (side hung, balcony door, fixed glazing's) window made of wooden profiles covered with aluminium claddings for commercial and private buildings

Resistance against wind load	C3
Water tightness:	9A
Bearing capacity of safety devices:	npd
Sound insulation:	33(0;-4) dB
Thermal transmission coefficient:	1.6*
Air permeability:	4
Resistance to repeated opening and closing	2
Dangerous substances	none

**npd** - no performance determined;

\* - where detailed calculation of the heat from a specific building is required, the manufacturer shall provide accurate and relevant, calculated or tested thermal transmittance values (design values).

# EC-Declaration of Conformity

HCTC, UAB  
Pramonės g.97  
LT-11115, Vilnius  
Lithuania  
2009

Declares, that the product **IV 68** turn/tilt (side hung, balcony door, fixed glazing's) window made of wooden profiles covered with aluminium claddings for commercial and private buildings  
**is conform with**

- the product features which are declared on the CE-mark according to

**EN 14351-1:2006+A1:2010 appendix ZA**

Initial tests were done by the following notified body:

Institute of Architecture and Construction of Kaunas University of Technology,  
Laboratory of Building Thermal Physics, Tunelio g. 60, LT-44405, Kaunas,  
Lithuania

Date:

Signature: