

NDVK

NORWEGIAN DOOR-AND
WINDOW-CONTROL

CERTIFIED

Certificate

It's confirm that

UAB HCTC, Vilnius, Lithuania

Fulfil the requirements according to

NORWEGIAN DOOR- AND WINDOW CONTROL

NDVK-Rules

The certificate include all production of windows and doors,
and include the following products:

Window types:

- Euro Window IV92, (dreh – kipp)
- Nord top-turn 180/top-sliding window
- Nord Top/side hung window
- Nord side-swing window (90 and 180)
- Nord fixed window

Door types:

- Nord Balkonydoor.

Oslo date: 15.03.2021



NDVK chairman

Date of issue first time: 25.02.2010

Valid thru: 31.12.2021

Certificate NO.: 050-E

NDVK

NORWEGIAN DOOR-AND
WINDOW-CONTROL

CERTIFIED

Quality management in the production of windows and door fulfils the requirement to **NDVK Rules:**

Requirements for doors and windows of 01/2019

and

Rules for certificate and inspection of 01/2019

The product at page 1 fulfil the requirement according to:

Characteristic	Classification/value										NDVK req.
Air permeability											4
Class	1		2			3		4			
Max. test pressure (Pa)	150		300			600		600			
Watertightness											9A* 7A or 7B**
Class - Non-shielded (A)	1 A	2 A	3 A	4 A	5 A	6 A	7 A	8 A	9 A	E	
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)	(450)	(600)	(>600)	
Class - Shielded (B)	1 B	2 B	3 B	4 B	5 B	6 B	7 B				
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)				

* Requirement for windows and balcony-doors

** Requirement for Pedestrian doors